SUKSAN
Kuha, Ahmedabad

MATERIAL SAFETY DATA SHEET

 MSDS 0053451

AASMAA WAX POLISH

MANUFACTURER :
SUKSAN ENTERPRISE
A-51, SWASTIK INDUSTRIAL PARK,
NR.CENAL KUHA, DASKROI,
AHMEDABAD-382433
Gujarat (India).
M. : +91 9974424523

HAZARD RATING	HMIS	HAZARD	NFPA
4-Very High	0	Health	0
3-High	3	Flammability	3
2-Moderate	0	Rectivity	0
1-Slight	Special		
0-Insignificant			

----------SECTION 1 - PRODUCT INDENTIFICATION----------

REASON FOR CHANGE No Significant changes
PRODUCT USE Mould Releasing, Polishing

----------SECTION 2 - INGREDIENT INFORMATION----------

INGREDIENT	WEIGHT	EXPOSURE LIMIT / TOXICITY
Mineral Turpentine Oil	650-700	100 ppm ACGIH TLV-TWA, 200 ppm ACGIH STEL 500 ppm OSHA PEL (SUPPLIER RECOMMENDED)
Paraffin Wax	200-250	2 mg/m³ ACGIH/OSHA TWA
Carnauba wax	90-100	NOT ESTABLISHED

----------SECTION 3 - HEALTH HAZARDS INDENTIFICATION (Also See Section 11)----------

ROUTE (S) OF ENTRY Skin Contact.
EFFECTS OF ACUTE EXPOSURE :
- EYE None Known
- SKIN None Known
- INHALATION None Known
- INGESTION None Known

MEDICAL CONDITIONS None Known
GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE

----------SECTION 4 - FIRST AID MEASURES----------

EYE CONTACT Rinse with plenty of water
SKIN CONTACTWash contaminated area with water and soap INHALATION
Remove to fresh air

INGESTION	Do not induce vomiting Immediately drink 1-2 glasses of water or milk. Seek immediate medical attention

----------SECTION 5 - FIRE AND EXPLOSION INFORMATION----------FLASH POINT 88'F (31º C) (TCC)

AASMAA WAX POLISH

----------SECTION 5 - FIRE AND EXPLOSION INFORAMTION (Continued)----------

FLAMMABLE LIMITS	Not Available
AUTOIGHTION TEMEPRATURE	Not Available
EXTINGUISHING MEDIA	Foam, Co2, Dry chemical, Water fog
SPECIAL FIREFIGHTING PROCEDURERES	Normal fire fighting procedure may be used. Cool and use caution When approaching or handling fire-exposed containers.
UNUSUAL FIRE AND EXPLOSION HAZARDS	No special hazards known

----------SECTION 6 - PREVENTIVE RELEASE MEASURES----------

STEPS TO BE TAKEN IN RELEASED OR SPILIED Sweep or scrape up and containerize CASE MATERIAL IS

----------SECTION 7 - HANDLING AND STORAGE----------

PRECAUTIONARY INFORMATION	CAUTION : FLAMMABLE : Keep out of reach of children.
OTHER HANDLING AND STORAGE CONDITIONS	Store in a cool, dry place with adequate ventilationl

----------SECTION 8 - SPECIAL PROTECTION INFORMATION----------

RESPIRATORY PROTECTION	No special requirements under normal use conditions
VENTILATION	General room ventilation adequate.
PROTECTIVE GLOVES	If prolonged or repeated contact is possible : Any impervious material
EYE PROTECTION	No special requirements under normal use conditions.
OTHER PROTECTIVE MEASURES	No special requirements

----------SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES----------

COLOR	Brown
PRODUCT STATE	Paste
ODOR	Hydrocarbon Solvent
PH	Not Applicable
ODOR THRESHOLOD	Not Available
SOLUBILITY IN WATER	Negligible
SPECIFIC GRAVITY (H20=1)	0.800
VAPOR DENSITY (AIR=1)	Not Available
EVAPORATION RATE (BUTYL ACETATE=1)	Not Available
VAPOR PRESSURE (mm HG)	Not Available
BOILING POINT	Not Available
FREEZING POINT	Not applicable

COEFFICENT OF WATER/OIL	Not Available
PERCENT VOLATILE BY VOLUME (%)	Not Available
VOLATILE ORGANIC COMPOUND (VOC)	Not Available
THEORETICAL VOC (LB/GAL)	Not Available

AASMAA WAX POLISH

----------SECTION 10 - STABILITY AND REACTIVITY----------

STABILITY	Stable
STABILITY - CONDITIONS TO AVOID	None known
INCOMPATIBILITY	None Known
HAZARDOUS DECOMPOSITION PRODUCTS	When exposed to fire : Produces normal products of combustion.
HAZARDOUS POLYMERIZATION	Will not occur
HAZARDOUS POLYMERIZATION CONDITIONS TO AVOID	Not Applicable

----------SECTION 11 - TOXICOLOGY INFORMATION (Also See Section 3)----------

LD5 0 (ACUTE ORAL TOX)	Not available
LD5 0 (ACUTE DERMAL TOX)	Not available
LC5 0 (ACUTE INHALATIONTOX)	Not available
EFFECTS OF CHRONIC EXPOSURE	None known
SENSITIZATION	None Known
CARCINOGENICITY	None Known
REPRODUCTIVE TOXICITY	None Known
TERATOGENICITY	None Known
MUTAGENICITY	None Known

----------SECTION 12 - ECOLOGICAL INFORMATION----------

ENVIRONMENTAL DATA	Not available

----------SECTION 13 - DISPOSAL CONSIDERATIONS----------

WASTE DISPOSAL	No special method. Observe all applicable Federal / Provincial /

INFORMATION	State regulations and Local / Municipal ordinances regarding disposal of non-hazardous materials.

----------SECTION 14 - TRANSPORTATION INFORMATION----------

DOT INFORMATION	Frp mould release agent or polishing compounds
INDIAN SHIPPING NAME	AASMAA WAX POLISH
TDG CLASSIFICATION	Not applicable
PIN/NIP	Not applicable
PACKING GROUP	Not applicable
EXEMPTION NAME	Consumer Commodity

----------SECTION 15 - REGULATORY INFORMATION----------

WHMIS CLASSIFICATION	Not applicable

AASMAA WAX POLISH

----------SECTION 15 - REGULATORY INFORMATION (continued)----------

All ingredients of this product are listed or are excluded from listing on the INDIA Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

All ingredients in this product comply with the New Substances Notification requirements under the Indian Environmental Protection Act.

----------SECTION 16 - OTHER INFORMATION----------

ADDITIONAL INFORMATION	Use as directed EPA
REGISTRATION #	Not applicable

----------PREPARATION INFORMATION----------

PREPARED BY	Manufacturer's Technical Support Department. Refer to page 1 (Manufacturer) for contact information

---

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or imlied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all India State, Provincial and Local laws and regulations.

FOR, SUKSAN ENTERPRISE

PARTNER